

Table K1.--Water Features--Continued

| Map symbol and soil name | Hydro- logic group | Month | Water table | | Ponding | | | Flooding | |
|-----------------------------|--------------------------|----------|----------------|----------------|---------------------------|----------|-----------|----------|-----------|
| | | | Upper limit | Lower limit | Surface water depth | Duration | Frequency | Duration | Frequency |
| Beltsville----- | C | | Ft | Ft | Ft | | | | |
| | | January | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | February | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | March | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | November | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | December | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| BeB2: Beltsville----- | C | January | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | February | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | March | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | November | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | December | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | | | | | | | | |
| BeC2: Beltsville----- | C | January | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | February | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | March | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | November | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | December | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | | | | | | | | |
| BeC3: Beltsville----- | C | January | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | February | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | March | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | November | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | December | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | | | | | | | | |
| BeD2: Beltsville----- | C | January | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | February | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | March | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | November | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | December | 1.5-2.5 | 2.0-3.0 | --- | --- | None | --- | None |
| | | | | | | | | | |
| BrB2: Brandywine----- | A | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| BrC2: Brandywine----- | A | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| | | | | | | | | | |

Table K1.--Water Features--Continued

| Map symbol and soil name | Hydro- logic group | Month | Water table | | Surface water depth | Ponding | | Flooding | |
|-----------------------------|--------------------------|---------|----------------|----------------|---------------------------|----------|-----------|----------|-----------|
| | | | Upper limit | Lower limit | | Duration | Frequency | Duration | Frequency |
| | | | Ft | Ft | Ft | | | | |
| BrC3: Brandywine----- | A | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| BrD2: Brandywine----- | A | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| BrD3: Brandywine----- | A | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| BrF: Brandywine----- | A | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| BwD: Brandywine----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| CgB2: Chester----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| CgC2: Chester----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| ChA: Chester----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| ChB2: Chester----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| ChC2: Chester----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| ChC3: Chester----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| ChD2: Chester----- | B | | | | | | | | |

Table K1.--Water Features--Continued

| Map symbol and soil name | Hydro- logic group | Month | Water table | | Ponding | | | Flooding | |
|-----------------------------|--------------------------|----------|----------------|----------------|---------------------------|----------|-----------|------------|------------|
| | | | Upper limit | Lower limit | Surface water depth | Duration | Frequency | Duration | Frequency |
| Comus----- | B | February | --- | --- | --- | --- | None | Very brief | Occasional |
| | | March | --- | --- | --- | --- | None | Very brief | Occasional |
| | | April | --- | --- | --- | --- | None | Very brief | Occasional |
| | | May | --- | --- | --- | --- | None | Very brief | Occasional |
| CuB: Comus----- | B | January | --- | --- | --- | --- | None | --- | Rare |
| | | February | --- | --- | --- | --- | None | --- | Rare |
| | | March | --- | --- | --- | --- | None | --- | Rare |
| | | April | --- | --- | --- | --- | None | --- | Rare |
| | | December | --- | --- | --- | --- | None | --- | Rare |
| | | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| DeA: Delanco----- | C | January | 1.0-2.5 | >6.0 | --- | --- | None | --- | Rare |
| | | February | 1.0-2.5 | >6.0 | --- | --- | None | --- | Rare |
| | | March | 1.0-2.5 | >6.0 | --- | --- | None | --- | Rare |
| | | April | 1.0-2.5 | >6.0 | --- | --- | None | --- | Rare |
| | | December | 1.0-2.5 | >6.0 | --- | --- | None | --- | Rare |
| DeB2: Delanco----- | C | January | 1.0-2.5 | >6.0 | --- | --- | None | --- | Rare |
| | | February | 1.0-2.5 | >6.0 | --- | --- | None | --- | Rare |
| | | March | 1.0-2.5 | >6.0 | --- | --- | None | --- | Rare |
| | | April | 1.0-2.5 | >6.0 | --- | --- | None | --- | Rare |
| | | December | 1.0-2.5 | >6.0 | --- | --- | None | --- | Rare |
| EkA: Elioak----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| EkB2: Elioak----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| EkC2: Elioak----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| EkD2: Elioak----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |

Table K1.--Water Features--Continued

| Map symbol and soil name | Hydro- logic group | Month | Water table | | Ponding | | | Flooding | |
|-----------------------------|--------------------------|----------|----------------|----------------|---------------------------|----------|-----------|----------|-----------|
| | | | Upper limit | Lower limit | Surface water depth | Duration | Frequency | Duration | Frequency |
| ElC3: Elioak----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| ElD3: Elioak----- | | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| Em: Elkton----- | C/D | January | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | February | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | March | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | April | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | May | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | November | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | December | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| Elkton----- | | | | | | | | | |
| | C/D | January | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | February | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | March | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | April | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | May | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | November | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | December | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| EnA: Elsinboro----- | | | | | | | | | |
| | B | January | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | February | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | March | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | April | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | December | 5.0 | >6.0 | --- | --- | None | --- | None |
| EnB2: Elsinboro----- | | | | | | | | | |
| | B | January | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | February | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | March | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | April | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | December | 5.0 | >6.0 | --- | --- | None | --- | None |
| EnC2: | | | | | | | | | |

Table K1.--Water Features--Continued

| Map symbol and soil name | Hydro- logic group | Month | Water table | | Ponding | | | Flooding | |
|-----------------------------|--------------------------|----------|----------------|----------------|---------------------------|----------|-----------|----------|-----------|
| | | | Upper limit | Lower limit | Surface water depth | Duration | Frequency | Duration | Frequency |
| Elsinboro----- | B | | Ft | Ft | Ft | | | | |
| | | January | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | February | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | March | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | April | 5.0 | >6.0 | --- | --- | None | --- | None |
| | | December | 5.0 | >6.0 | --- | --- | None | --- | None |
| EvB: Evesboro----- | A | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| EvC: Evesboro----- | A | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| Fa: Fallsington----- | B/D | January | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | February | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | March | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | April | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | May | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | December | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| Fallsington----- | B/D | January | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | February | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | March | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | April | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | May | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | December | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| GlA: Glenelg----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| GlB2: Glenelg----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| GlC2: Glenelg----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| GlC3: Glenelg----- | B | | | | | | | | |

Table K1.--Water Features--Continued

| Map symbol and soil name | Hydro- logic group | Month | Water table | | Ponding | | | Flooding | |
|-----------------------------|--------------------------|-------------------|----------------|----------------|---------------------------|----------|-----------|------------|-----------|
| | | | Upper limit | Lower limit | Surface water depth | Duration | Frequency | Duration | Frequency |
| | | | Ft | Ft | Ft | | | | |
| Hatboro----- | D | January | 0.0-0.5 | >6.0 | --- | --- | None | Very brief | Frequent |
| | | February | 0.0-0.5 | >6.0 | --- | --- | None | Very brief | Frequent |
| | | March | 0.0-0.5 | >6.0 | --- | --- | None | Very brief | Frequent |
| | | April | 0.0-0.5 | >6.0 | --- | --- | None | Very brief | Frequent |
| | | May | 0.0-0.5 | >6.0 | --- | --- | None | Very brief | Frequent |
| | | October | 0.0-0.5 | >6.0 | --- | --- | None | --- | None |
| | | November | 0.0-0.5 | >6.0 | --- | --- | None | Very brief | Frequent |
| | | December | 0.0-0.5 | >6.0 | --- | --- | None | Very brief | Frequent |
| | | IuB: Iuka----- | C | January | 1.0-3.0 | >6.0 | --- | --- | None |
| February | 1.0-3.0 | | | >6.0 | --- | --- | None | --- | Rare |
| March | 1.0-3.0 | | | >6.0 | --- | --- | None | --- | Rare |
| April | 1.0-3.0 | | | >6.0 | --- | --- | None | --- | Rare |
| December | 1.0-3.0 | | | >6.0 | --- | --- | None | --- | Rare |
| KcE3: Kelly----- | D | January | 1.0-2.0 | 1.2-1.8 | --- | --- | None | --- | None |
| | | February | 1.0-2.0 | 1.2-1.8 | --- | --- | None | --- | None |
| | | March | 1.0-2.0 | 1.2-1.8 | --- | --- | None | --- | None |
| | | April | 1.0-2.0 | 1.2-1.8 | --- | --- | None | --- | None |
| | | December | 1.0-2.0 | 1.2-1.8 | --- | --- | None | --- | None |
| KeB2: Kelly----- | D | January | 1.5-2.5 | >6.0 | --- | --- | None | --- | None |
| | | February | 1.5-2.5 | >6.0 | --- | --- | None | --- | None |
| | | March | 1.5-2.5 | >6.0 | --- | --- | None | --- | None |
| | | November | 1.5-2.5 | >6.0 | --- | --- | None | --- | None |
| | | December | 1.5-2.5 | >6.0 | --- | --- | None | --- | None |
| KeC2: Kelly----- | D | January | 1.0-2.0 | 1.2-1.8 | --- | --- | None | --- | None |
| | | February | 1.0-2.0 | 1.2-1.8 | --- | --- | None | --- | None |
| | | March | 1.0-2.0 | 1.2-1.8 | --- | --- | None | --- | None |
| | | April | 1.0-2.0 | 1.2-1.8 | --- | --- | None | --- | None |
| | | December | 1.0-2.0 | 1.2-1.8 | --- | --- | None | --- | None |
| KhC2: | | | | | | | | | |

Table K1.--Water Features--Continued

| Map symbol and soil name | Hydro- logic group | Month | Water table | | Ponding | | | Flooding | |
|-----------------------------|--------------------------|----------|----------------|----------------|---------------------------|----------|-----------|----------|-----------|
| | | | Upper limit | Lower limit | Surface water depth | Duration | Frequency | Duration | Frequency |
| Keyport----- | C | January | 1.5-4.0 | 2.0-4.5 | --- | --- | None | --- | None |
| | | February | 1.5-4.0 | 2.0-4.5 | --- | --- | None | --- | None |
| | | March | 1.5-4.0 | 2.0-4.5 | --- | --- | None | --- | None |
| | | April | 1.5-4.0 | 2.0-4.5 | --- | --- | None | --- | None |
| | | May | 1.5-4.0 | 2.0-4.5 | --- | --- | None | --- | None |
| | | November | 1.5-4.0 | 2.0-4.5 | --- | --- | None | --- | None |
| | | December | 1.5-4.0 | 2.0-4.5 | --- | --- | None | --- | None |
| Kn: Kinkora----- | | | | | | | | | |
| | D | January | 0.0-0.5 | >6.0 | --- | --- | None | --- | Rare |
| | | February | 0.0-0.5 | >6.0 | --- | --- | None | --- | Rare |
| | | March | 0.0-0.5 | >6.0 | --- | --- | None | --- | Rare |
| | | April | 0.0-0.5 | >6.0 | --- | --- | None | --- | Rare |
| | | May | 0.0-0.5 | >6.0 | --- | --- | None | --- | None |
| | | November | 0.0-0.5 | >6.0 | --- | --- | None | --- | None |
| | | December | 0.0-0.5 | >6.0 | --- | --- | None | --- | Rare |
| LeB2: Legore----- | | | | | | | | | |
| | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| LeC2: Legore----- | | | | | | | | | |
| | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| LgC3: Legore----- | | | | | | | | | |
| | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| Ll: Leonardtown----- | | | | | | | | | |
| | D | January | 0.0-1.0 | 1.0-1.8 | --- | --- | None | --- | None |
| | | February | 0.0-1.0 | 1.0-1.8 | --- | --- | None | --- | None |
| | | March | 0.0-1.0 | 1.0-1.8 | --- | --- | None | --- | None |
| | | November | 0.0-1.0 | 1.0-1.8 | --- | --- | None | --- | None |
| | | December | 0.0-1.0 | 1.0-1.8 | --- | --- | None | --- | None |
| LnB2: Linganore----- | | | | | | | | | |
| | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| LnC2: Linganore----- | | | | | | | | | |
| | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |

Table K1.--Water Features--Continued

| Map symbol and soil name | Hydro- logic group | Month | Water table | | Surface water depth | Ponding | | Flooding | |
|-----------------------------|--------------------------|---------|----------------|----------------|---------------------------|----------|-----------|----------|-----------|
| | | | Upper limit | Lower limit | | Duration | Frequency | Duration | Frequency |
| LnD2: Linganore----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| LoE: Linganore----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| Md: Made Land----- | --- | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MgB2: Manor----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MgC2: Manor----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MgC3: Manor----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MlA: Manor----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MlB2: Manor----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MlC2: Manor----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MlC3: Manor----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MlD2: Manor----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MlD3: Manor----- | B | | | | | | | | |

Table K1.--Water Features--Continued

| Map symbol and soil name | Hydro- logic group | Month | Water table | | Ponding | | | Flooding | |
|---------------------------------|--------------------------|-----------|----------------|----------------|---------------------------|----------|-----------|------------|------------|
| | | | Upper limit | Lower limit | Surface water depth | Duration | Frequency | Duration | Frequency |
| | | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MlE: Manor----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MnD: Manor----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MnF: Manor----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| Mo: Mixed Alluvial Land----- | B | January | 3.0 | >6.0 | --- | --- | None | Very brief | Occasional |
| | | February | 3.0 | >6.0 | --- | --- | None | Very brief | Occasional |
| | | March | 3.0 | >6.0 | --- | --- | None | Very brief | Occasional |
| | | April | 3.0 | >6.0 | --- | --- | None | Very brief | Occasional |
| | | May | --- | --- | --- | --- | None | Very brief | Occasional |
| | | June | --- | --- | --- | --- | None | Very brief | Occasional |
| | | July | --- | --- | --- | --- | None | Very brief | Occasional |
| | | September | --- | --- | --- | --- | None | Very brief | Occasional |
| | | October | --- | --- | --- | --- | None | Very brief | Occasional |
| | | November | 3.0 | >6.0 | --- | --- | None | Very brief | Occasional |
| | | December | 3.0 | >6.0 | --- | --- | None | Very brief | Occasional |
| MpB2: Montalto----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MpC2: Montalto----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MqC3: Montalto----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| MrE: Montalto----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| Relay----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |

Table K1.--Water Features--Continued

| Map symbol and soil name | Hydro- logic group | Month | Water table | | Ponding | | | Flooding | |
|------------------------------------|--------------------------|---------|----------------|----------------|---------------------------|----------|-----------|----------|-----------|
| | | | Upper limit | Lower limit | Surface water depth | Duration | Frequency | Duration | Frequency |
| Relay----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| RuB2: Rumford----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| RuC2: Rumford----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| RuD2: Rumford----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| ScB: Sandy And Clayey Land----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| Sandy And Clayey Land----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| ScD: Sandy And Clayey Land----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| Sandy And Clayey Land----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| ScE: Sandy And Clayey Land----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| Sandy And Clayey Land----- | C | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| SfB2: Sassafras----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| SfC2: Sassafras----- | B | Jan-Dec | --- | --- | --- | --- | None | --- | None |
| SfD2: Sassafras----- | B | | | | | | | | |

Table K1.--Water Features--Continued

| Map symbol and soil name | Hydro- logic group | Month | Water table | | Ponding | | | Flooding | |
|-----------------------------|--------------------------|----------|----------------|----------------|---------------------------|----------|-----------|----------|-----------|
| | | | Upper limit | Lower limit | Surface water depth | Duration | Frequency | Duration | Frequency |
| Watchung----- | D | | Ft | Ft | Ft | | | | |
| | | January | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | February | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | March | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | April | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | May | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | June | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| | | December | 0.0-1.0 | >6.0 | --- | --- | None | --- | None |
| WoB2: Woodstown----- | C | | | | | | | | |
| | | January | 1.5-3.5 | >6.0 | --- | --- | None | --- | None |
| | | February | 1.5-3.5 | >6.0 | --- | --- | None | --- | None |
| | | March | 1.5-3.5 | >6.0 | --- | --- | None | --- | None |
| | | April | 1.5-3.5 | >6.0 | --- | --- | None | --- | None |

